

Oregon Health & Science University Hospital and Clinics Provider's Orders



ADULT AMBULATORY INFUSION ORDER Zoledronic Acid (RECLAST) Infusion

Page 1 of 2

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

Weight:	kg Height :	cm
Allergies:		
Diagnosis Code:		
Treatment Start Date: _		Patient to follow up with provider on date:

GUIDELINES FOR ORDERING

- 1. Send FACE SHEET and H&P or most recent chart note.
- 2. This order should be used in patients with Paget's disease or osteoporosis. Do not use this order if patient is already being treated with zoledronic acid (ZOMETA).
- 3. Hypocalcemia must be corrected before initiation of therapy. All patients should be prescribed daily calcium and vitamin D supplementation.
- 4. The corrected calcium level should be greater than or equal to 8.4 mg/dL.
- 5. Risk versus benefit regarding osteonecrosis of the jaw and hip fracture must be discussed prior to treatment.
- 6. In patients with high risk of hypocalcemia, mineral metabolism (hypoparathyroidism, thyroid surgery, parathyroid surgery; malabsorption syndromes, excision of small intestines) recommend clinical monitoring of magnesium and phosphorus levels prior to treatment.
- 7. A complete metabolic panel must be obtained within 60 days prior to each treatment.
- 8. PROVIDER TO PHARMACIST COMMUNICATION Creatinine clearance is calculated using Cockroft-Gault formula (Use actual weight unless patient is greater than 30% over ideal body weight, then use adjusted body weight). If serum creatinine below 0.7 mg/dL, use 0.7 mg/dL to calculate creatinine clearance. No dose adjustment required for CrCl greater than or equal to 35 mL/min.
- 9. For Adventist patients: Provider must calculate the creatinine clearance using the Cockroft-Gault formula.
- 10. Must complete and check the following box:
 - ☐ Provider confirms that the patient has had a recent oral or dental evaluation and/or has no contraindications to therapy related to dental issues prior to initiating therapy.

LABS:

☐ CMP, Routine, ONCE

NURSING ORDERS:

- 1. TREATMENT PARAMETER Pharmacist to calculate corrected calcium. Hold and contact provider for corrected calcium less than 8.4 mg/dL or creatinine clearance less than 35 mL/min.
- 2. If no results in past 60 days, order CMP.
- 3. Assess for new or unusual thigh, hip, groin, or jaw pain. Inform provider if positive findings or if patient is anticipating invasive dental work
- 4. Have patient drink at least 2 glasses of fluid prior to infusion. Remind patient to take calcium and vitamin D supplements as prescribed by provider.
- 5. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes.

^{**}This plan will expire after 365 days at which time a new order will need to be placed**



Oregon Health & Science University Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Zoledronic Acid (RECLAST) Infusion

Page 2 of 2

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

MEDICATIONS:	ONOT 45 : 4	
 zoledronic acid (RECLAST), 5 mg, intraver 	nous, ONCE, over 15 minutes	
By signing below, I represent the following: I am responsible for the care of the patient (who is I hold an active, unrestricted license to practice me that corresponds with state where you provide car state if not Oregon);	s identified at the top of this form); edicine in: □ Oregon □ (check bo re to patient and where you are currently licensed. Specif)X .y
My physician license Number is #	(MUST BE COMPLETED TO BE A VALID	
PRESCRIPTION); and I am acting within my scop	(MUST BE COMPLETED TO BE A VALID be of practice and authorized by law to order Infusion of the	١e
medication described above for the patient identification	ed on this form.	
Provider signature:	Date/Time:	
Printed Name:	Phone: Fax:	
Please check the appropriate box for the patien	nt's preferred clinic location:	
☐ Hillsboro Medical Center	☐ Adventist Health Portland	
Infusion Services	Infusion Services	
364 SE 8th Ave, Medical Plaza Suite 108B	10123 SE Market St	
Hillsboro, OR 97123	Portland, OR 97216	
Phone number: (503) 681-4124 Fax number: (503) 681-4120	Phone number: (503) 261-6631 Fax number: (503) 261-6756	
1 ax hamber. (000) 001-4120	1 ax Hamber. (300) 201-0/30	
☐ Mid-Columbia Medical Center		
Celilo Cancer Center		
1800 E 19th St		

The Dalles, OR 97058

Phone number: (541) 296-7585 Fax number: (541) 296-7610